

Summary Report of Hazardous Waste and Sewage Spill Incidents per Water Code Section 13271

I. Petroleum Products

Date Reported*	Date Discovered	Discharger	Location	Problem	Action
12/12/02	12/12/02	SHELL STATION	2718 IOWA AVENUE, COLTON	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	POLLUTION CHARACTERIZATION
1/8/03	11/22/02	INLAND EMPIRE CAR WASH	445 FOOTHILL BOULEVARD WEST, RIALTO	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	REMEDIAITON PLAN SUBMITTED
1/13/03	12/20/02	PAGE RESIDENCE	18471 BASTANCHURY ROAD, YORBA LINDA	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	LEAK BEING CONFIRMED
1/22/03	3/1/02	FORMER CHEVRON STATION #9-9737	2001 W. LA HABRA, LA HABRA	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	POLLUTION CHARACTERIZATION
1/22/03	6/17/99	R J NOBLE	15505 EAST LINCOLN, ORANGE	UNDERGROUND STORAGE TANK LEAK: DIESEL CONTAMINATED SOIL	SITE WORKPLAN SUBMITTED
1/31/03	8/16/02	ANAHEIM PLAZA	556 EUCLID N., ANAHEIM	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	LEAK BEING CONFIRMED
2/6/03	1/31/03	WASTE MANAGEMENT	16122 CONSTRUCTION CIRCLE, IRVINE	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	LEAK BEING CONFIRMED
2/21/03	2/19/03	SHELL SERVICE STATION	101 IMPERIAL HIGHWAY E, LA HABRA	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	LEAK BEING CONFIRMED
2/24/03	2/24/03	NATIONAL READY MIX	16282 CONSTRUCTION CIRCLE, IRVINE	UNDERGROUND STORAGE TANK LEAK: DIESEL CONTAMINATED SOIL	LEAK BEING CONFIRMED
2/26/03	2/26/03	HAPPY HANDS CAR WASH (FORMER MISSION CAR WASH)	1205 W. 17TH STREET, SANTA ANA	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	LEAK BEING CONFIRMED
3/3/03	6/22/83	FORMER HUMBLE OIL STATION	12513 KNOTT STREET, GARDEN GROVE	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	LEAK BEING CONFIRMED
3/5/03	3/5/03	SHELL	3502 ADAMS ST, RIVERSIDE	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	LEAK BEING CONFIRMED
3/5/03	2/27/03	IMPERIAL CAR WASH	401 IMPERIAL HWY E, LA HABRA	UNDERGROUND STORAGE TANK LEAK: GASOLINE CONTAMINATED SOIL	LEAK BEING CONFIRMED

Report date is the date on the Unauthorized Release Report which is filled out by the local agency or the discharger. This report may not contain an accurate listing of all the new cases due to the ongoing reconciliation between the Geotracker/GEIMS, DOD, and Local Agency databases.

SANTA ANA WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/23/03	1/20/03	33350	RWQCP	4414 Eleventh St, Riverside, Riverside County	SSO	500	An estimated 500 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 350 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by RWQCP staff.
1/23/03	1/23/03	33897	City of Laguna Beach	669 Canyon View Dr, Laguna Beach, Orange County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a manhole due to root blockage. All 1,000 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The affected area was cleaned up by City of Laguna Beach staff.
1/23/03	2/23/03	33895	OCSD	18841 Fairhaven, Tustin, Orange County	SSO	950	An estimated 950 gallons of sewage overflowed from a manhole due to root blockage. All 950 gallons of the spill discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by OCSD.

SANTA ANA WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/24/03	1/24/03	34092	Cucamonga County Water District	Hellman & Devon, Rancho Cucamonga, San Bernardino County	SSO	1,500	An estimated 1,500 gallons of sewage overflowed from a manhole due to vandalism. An unspecified amount of the spill was contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by CCWD staff.
1/26/03	1/26/03	33899	City of Orange	438 S James, Orange, Orange County	SSO	600	An estimated 600 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 300 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Orange staff.
1/26/03	1/26/03	33930	City of Laguna Beach	1460 Temple Terrace, Laguna Beach, Orange County	SSO	4,000	An estimated 4,000 gallons of sewage overflowed from a manhole due to root blockage. Approximately 3,800 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Laguna Beach staff.

SANTA ANA WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
1/26/03	1/26/03	33910	Private Property Owner	Alton & Meadowbrook, Irvine, Orange County	SSO	1,350	An estimated 1,350 gallons of sewage overflowed from a control valve leak. All 1,350 gallons of the spill discharged into a nearby storm drain. The valve was repaired and the affected area was cleaned up by private property owner.
1/27/03	1/27/03	33898	Private Property Owner	Laguna Canyon & Barranca, Irvine, Orange County	SSO	4,500	An estimated 4,500 gallons of sewage overflowed from a private lift station control valve break. None of the spill was contained. All 4,500 gallons of the spill were discharged into a nearby storm drain. The valve was repaired and the affected area was cleaned up by private property owner.
2/2/03	2/2/03	33894	Private Property Owner	Fern & Cerritos, Stanton, Orange County	SSO	10,400	An estimated 10,400 gallons of sewage overflowed from a private lateral due to grease blockage. Approximately 8,000 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by private property owner.

SANTA ANA WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
2/3/03	2/3/03	33934	Western Municipal Water District	March Air Reserve Base, West of Heacock St, Riverside, Riverside County	SSO	800	An estimated 800 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 250 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by WMWD staff.
2/9/03	2/9/03	33892	City of Buena Park	8200 Ginniss Green, Buena Park, Orange County	SSO	450	An estimated 450 gallons of sewage overflowed from a manhole due to root blockage. All 450 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by City of Buena Park staff.
2/14/03	2/14/03	33932	Private Property Owner	Foothill & Spruce, Rancho Cucamonga, San Bernardino County	SSO	1,000	An estimated 1,000 gallons of sewage overflowed from a manhole due to grease blockage. All 1,000 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by private property owner.

SANTA ANA WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
2/16/03	2/16/03	33931	City of Beaumont	490 Michigan Ave, Beaumont, Orange County	SSO	1,250	An estimated 1,250 gallons of sewage overflowed from a manhole due to rock blockage. Approximately 450 gallons of the spill was contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Beaumont staff.
2/16/03	2/16/03	33933	Cucamonga County Water District	11551 Pinnacle Pike & Mt. Rushmore, Rancho Cucamonga, San Bernardino County	SSO	2,400	An estimated 2,400 gallons of sewage overflowed from a manhole due to grease blockage. An unspecified amount of the spill was contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by CCWD staff.
2/19/03	2/19/03	34094	City of Riverside	Las Ventanas Way & Brasado Way, Riverside, Riverside County	SSO	3,500	An estimated 3,500 gallons of sewage overflowed from a manhole due to construction debris blockage. All 3,500 gallons of the spill were contained, recovered, and returned to the operational sewer system. The blockage was cleared and the affected area was cleaned up by City of Riverside staff.

SANTA ANA WATER QUALITY CONTROL BOARD

SEWAGE SPILL INCIDENTS (500 GALLONS AND ABOVE)

Reported Date	Date of Spill	Notification No.	Responsible Party	Incident Location	Spill Type	Volume Spilled	Description of Incident
2/20/03	2/20/03	34095	City of Orange	Palmyra & Shaffer, Orange, Orange County	SSO	500	An estimated 500 gallons overflowed from a manhole due to grease blockage. Approximately 350 gallons of the spill was contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City of Orange staff.
2/22/03	2/22/03	34090	El Toro Water District	24535 Dardania St, Mission Viejo, Orange County	SSO	600	An estimated 600 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 400 gallons of the spill were contained, recovered, and returned to the operational sewer system, while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by City staff.
2/25/03	2/25/03	34091	Private Property Owner	1440 W Lambert Rd, La Habra, Orange County	SSO	5,000	An estimated 5,000 gallons of sewage overflowed from a manhole due to grease blockage. Approximately 2,000 gallons of the spill were contained, recovered, and returned to the operational sewer system while the rest discharged into a nearby storm drain. The blockage was cleared and the affected area was cleaned up by private property owner.